

Google scholar

label matching text database create OR OR O

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)

Scholar Articles and patents - 2003 include citations Results 1 - 31 of 31.

From where to what: Metadata sharing for digital photographs with geographic coordinates

M Naaman, A Paepcke, H Garcia-Molina - On The Move to Meaningful 2003 - Springer

... g is taken from the cluster in the hierarchy that maximizes the geographical and **text/frequency match** ... S) of User 2's images (I), possible **matching** terms (T), and the score (S) of the **match** between the ... tuple (g c, "Stanford Church".s). The reply is based on the **label** submitted by H ...

Cited by 77 - Related articles - BL Direct - All 12 versions

[PDF] Object-oriented database systems: promises, reality and future

W Kim - ... OF THE INTERNATIONAL CONFERENCE ON VERY ..., 1993 - sigmod.org

... eg, open, close, drop, **create**, move, etc.) apply to different types of data (image, text file, audio ... to bring these products to full-fledged **database** systems that can at least **match** the level ... myths are totally without merit, and are the result of the unfortunate **label** "database system" that ...

[Cited by 48](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 9 versions](#)

[PDF] Resolution of date and time expressions in a www-based dialogue system

C Dobrin, P Boda - COST-249 10th Management Committee 1998 - trappistellis.ugent.be

... solving module (see Figure 1). The input to the system is written **text** or transcribed speech, ...

Words that do not **match** are simply neglected. ... The actions are also specified in the **label**

database in a way that a **label** can be associated with one or more actions. ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

Method for adding personalized metadata to a collection of digital images

KA Parulski, JR McCoy - US Patent 6,629,104, 2003 - Google Patents

... More specifically, the invention relates to a personal **database** of metadata **labels** constructed prior to image capture. ... In addition, since the **user** may type in different **text** to describe the same item (eg Matt, Matthew, or X-mas, Christmas) the **database** may not contain ...

Cited by 2 - Related articles - All 3 versions

[PDF] The ALERT system: Advanced broadcast speech recognition technology for selective dissemination of multimedia information

G Rigoll - IEEE workshop on automatic speech recognition and ..., 2001 - Citeseer

... This information is conveyed to the **search engine**, and segments with **matching topic indexes** and content class **labels** are retrieved, along with the ... Typically, older transcriptions are archived, so **text-based** retrieval can extend further into the past. 5. CONCLUSION ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

Label system-translation of **text** and multi-language support at runtime and design

R Blitsch, JS Hansen - US Patent App. 10/674,834, 2003 - Google Patents

... **label**. [0010] Based on the entered data, the **search** engine searches the **label text database**, and identifies those **label** texts that most closely **match** the desired **text**, as well as any provided namespace and category. The ...

All 2 versions

Method and system for providing electronic commerce actions based on semantically labeled s

J Reynar - US Patent App 09/841,266, 2001 - Google Patents

... meeting Schedule a task Schedule a meeting [0060] For each type **label**, the type-action **database** 230 may ... a "Save semantic categories as XML properties" checkbox (off by default) will write out

the **text** of all of the semantic categories in the document and their **labels** in the ...

[Related articles](#) - [All 3 versions](#)

Computer-aided interpretation of SPECT images of the brain using an MRI-derived 3D neuro-anatomical atlas

ED Lehmann, DJ Hawkes, DLG Hill, CF ... - Informatics for Health ..., 1991 - informaworld.com

... and the surface of the ventricles were used for scaling and elastic **matching** between an ... would reveal more detailed information about particular structures in the form of **text**, diagrams or ... However, no attempt has been made to **label** every voxel with a neuro-anatomical structure. ...

[Cited by 32](#) - [Related articles](#) - [All 4 versions](#)

Dictionary-driven protein annotation

I Rigoutsos, T Huynh, A Floratos, L ... - Nucleic Acids ..., 2002 - Oxford Univ Press

... **View** this table: [In this window] [in a new window], Table 1. FT line **labels** used in ... to SwissProt/TrEMBL and **retrieve** all of the **database** entries with the property stated by the **text**. ... **pattern's** estimated log probability and the actual position within the query where the **match** begins. ...

[Cited by 36](#) - [Related articles](#) - [BL Direct](#) - [All 10 versions](#)

[PS] March 10, 1995

DF Geddis - 1995 - geddis.org

... More details of the standard approach can be found in a specialized **text** such as GN87]. ... It is often the case that, while any individual assumption **matching** the pattern is a reasonable thing to assume true, that ... (**create-label-structure** qualitative-likelihoods true false ql-and ql-or) ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[BOOK] Java database programming with JDBC

P Patel, K Moss - 1996 - jdeveloper.cn.googlepages.com

... matter of fact, the simple JDBC driver included with this book uses delimited **text** files to ... have outlined the basic foundation of SQL, let's write some code to implement our **database**. The formal name for the language components used to **create** tables is Data Definition Language ...

[Cited by 21](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 12 versions](#)

Customer specific packaging line

NJ Sleep, AH Proudfoot, S Owen, AN ... - US Patent App. 10/ ..., 2002 - Google Patents

... 1 READ TAG ~\~ 52° i.c. 720 READ BOTTLE BARCODE DOES BARCODE **MATCH** RELEASE PUCK ... case of pharmaceuticals, the filled container is suitable for distribution to the **user** or wholesaler ... 100% inspection of the tablets and up to 100% inspection of the **labels** affixed to ...

[Cited by 4](#) - [Related articles](#) - [All 6 versions](#)

Customer specific packaging line having containers with tag means containing medication order information

NJ Sleep, AH Proudfoot, S Owen, AN Bargh, M ... - US Patent ..., 2001 - Google Patents

... Cl.7 G06F 7/00 (52) US Cl 700/216; 53/500 (58) Field of **Search** 700/216 ... among others, the bottle, the customer, the order, the pharmaceutical, the bottle size and **label** information ... TAG ~\~ 52° A C. 720 READ BOTTLE BARCODE VERIFY TAG DATA DOES BARCODE **MATCH** FIG ...

[Cited by 7](#) - [Related articles](#) - [All 2 versions](#)

[PDF] Requirements Specification for DMS Message Optimization Software Tool (MOST)

P Davis, S Sunkari, C Dudek, K Balke - Texas Transportation Institute, 2002 - Citeseer

... **free**, and platform-independent set of rules to format, delineate, and identify data within **text** files in ... This **label** is also the name of a variable used within the code of the application to ... If the names of tables in the **database** change or if a different **database** product is installed, the ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

Method and system for drug utilization review

V/V Gogoliak - US Patent App. 10/192,659, 2002 - Google Patents

... Those embodiments, knowing the potential drugs considered (previously entered by the user, or selected rapidly at POC) uses a drug **label database** 112 ... Because patient information 110 exists in the **database** in parallel to the physician 114 and drug **label** rules 112 ...

All 2 versions

[PDF] A component framework supporting peer services for space data management

D Crichton, S Hughes, S Kelly, P ... - ... Conference, Big Sky, ..., 2002 - oodt.jpl.nasa.gov

... it may return no product even if it otherwise had a **match** for the ... `<resAttributes>` `<Identifier>`1.2.3.5...`</Identifier>` `<Title>`VikingOrbiter1...`</Title>` `<Format>`text/html`</Format>` ... engineers developed a simple Perl CGI -script **search engine** to **search** the **label database**. ...

Cited by 9 - Related articles - View as HTML - All 3 versions

Hazard communication system

JL Farmer, PM Hill, GP Dietz, G ... - US Patent App. 09/ ..., 1999 - Google Patents

... the employees handle, and incorporate into this plan the use of container **labels**, warning signs ... In other cases it is done through a relational **database** which arrived at the same result ... No systemic means have heretofore been available to **create** and disseminate hazard data for ...

All 4 versions

[PDF] A Linux-Based Approach to Low-Cost Support of Access Control Policies

PC Clark, CE Irvine, D Volpano - 1999 - cslr.nps.edu

... A. DESIGN DECISIONS RELATED TO COVERT CHANNELS 61 A. DEFLECTION DIRECTORIES 61 B. OBJECT PROPERTIES 62 APPENDIX B. **DATABASE** DESIGN 63 A. POLICY LABEL 63 B. **LABEL DATABASE** 64 C USER CLEARANCE **DATABASE** 65 D ...

Cited by 1 - Related articles - All 7 versions

An approach toward integrated algorithm information system* 1

K Amano, M Chiba, A Mochida Takashi - Information Systems, 1984 - Elsevier

... In the operand terms such as **invert***, **symmetr*** and **definite*** is used for the part to be disregarded in the **matching** of the ... fields NO NAME TYPE PREFIX OUTPUT LABEL CONTENTS I DN S KEY 2 AN S 3 TI S 4 AU S 5 ... [9] T. Maeda: An approach toward functional text structure ...

Cited by 2 - Related articles - All 3 versions

[PDF] Resolution of type mismatches in an engineering persistent object system

A Mehta, DL Spooner, M Hardwick - Technical Report, Rensselaer ..., 1993 - Citeseer

... schema (ie, the class definitions in the **text** of the program), and the persistent object ... a **database** class does not **match** the type of the corresponding instance variable in the corresponding ... of the **database** class will **create** a category 2 type mismatch in other applications that ...

Cited by 4 - Related articles - View as HTML - All 8 versions

Dynamic, hierarchical data exchange system

KA Vandersluis - US Patent App. 10/011,022, 2001 - Google Patents

... JOIN KEY="DEVELOPER" JOIN TYPE="Outer"> <PROBLEM HTML COL TAGS="SIR NUMBER CREATE DBID="SIR ... n\fi* I«« I_Z - «^ co 0 0 15 CQ ~ O CO Q O **Database**: Table: @ir ... 3 <DOMAINS> 4 <DOMAIN NAME="XML"> 5 <_STYLE KEY="ELEM" 6 LABEL="Element"x ...

Cited by 11 - Related articles - All 4 versions

COPYRIGHT NOTICE

CM Cischke, AK Wise, SA Whitmore, CA Johnson, ... - System, 2000 - freepatentsonline.com

... Comment(); *; * Algorithm: 1. Output the **text string** input; /***/; bool Comment(const string &); ... bool AddLabel(const string &, const RamAddressList &); //GetLabel(name, RamAddressArray[NumRams]); //looks for a **matching** name in the internal **label** map. ...

[PDF] Library for organization of image recognition systems

Q Shyrovkov - 2002 - ece.unh.edu

... 32 4.8 SOM DATABASE..... It is possible to **create** such systems and they are used in industry. It is possible to **create** a platform that will simplify the development ... the **labels** assigned to the cells. ...

Related articles - View as HTML - All 2 versions

[BOOK] The contemporary thesaurus of **search** terms and synonyms: a guide for natural language computer searching

SD Knapp - 2000 - books.google.com

... But purposes are unique and only those words that most closely **match** the subject of your **search** should be selected. The choice of words belongs to you. ... In a full-text **database**, the entire article appears as a record. ... Below is a sample from a mailing **label database**. ...

Cited by 7 - Related articles

[BOOK] Personal portable computers and the curriculum

J Gardner, H Morrison, R Jarman, C Reilly, H McNally - 1994 - Citeseer

... of **text**), **databases** (for storing and retrieving information again usually in the form of **text**) and spreadsheets ... **Databases** While many people may not be familiar with the **label** 'database' or with specific packages ... The most obvious application - the **database** - may take many forms ...

Cited by 15 - Related articles - View as HTML - All 2 versions

Method and system for distributing a work process over an information network

RW Warris, WD Paterson, J Wester - US Patent 6,604,131, 2003 - Google Patents

... SOURCE DIRECTORY ERROR 0101001 3. OPEN IMPORT FILE AND CREATE ERROR FILE ...
UPDATE i LABEL SERVER UPDATER REMOTE DATA MODULE 18a \ LABELS DATABASE
18g \ COM ... 1 r UNPACK AND DECODE URL 300 URL IN RATING LABEL DATABASE ? ...

Related articles - All 4 versions

[PDF] The CIMI Profile Z39. 50 Application Profile for Cultural Heritage Information

WE Moen - 1998 - loc.gov

... example, string tags (see Section 3.4.3.1.1.) may be used to **label** locally-defined ... However, implementors can suggest to CIMI that commonly occurring **database** elements/fields need to ... of museum information such as object records, images with associated **text**, and cataloging ...

Related articles - View as HTML - All 5 versions

[PDF] Enhanced Windows-based Warning Terms Separation Proof-of-Concept (POC)-Architect Detailed Design & Project Plan

A Magar, ON Ottawa - 2003 - pubs.drdc.gc.ca

... **Database** information resources will be appropriately labelled using Oracle9i **Label Security**. ... 7.1.4 **Database**.....56 ... to the DND Information Technology Security Architecture the goal in the classified domain is to **create** a single ...

Cited by 2 - Related articles - All 2 versions

[BOOK] Mastering network security

C Brenton, C Hunt - 2002 - books.google.com

... 51 **Label Switching** and MPLS 217 **Clear Text Protocols** 418 **Search Engines**

Cited by 41 - Related articles - Library Search - All 5 versions

[PDF] DEPARTMENT OF COMPUTER ENGINEERING

M Bachman - 2003 - cse.scu.edu

... that the **user** would like to **search** for into the **text** box provided. Then press the ... matches. In the event of a **match**, the system will then query the **database** once again, ... 8i **database**. 3.4.1.2 Will use JDBC and SQL queries to **retrieve** information from the **database**. ...

View as HTML

[PDF] E-mental health in Australia: Implications of the Internet and related technologies for polic

H Christensen, KM Griffiths, K Evans... - Commonwealth of Australia, 2002 - aodgp.gov.au
... report addresses the important emerging area of electronic mental health and aims to generate discussion about ... was felt that there must be the capacity with any medical record database to mask ... Sites and software must be designed that go beyond the linear text sites currently ...
Cited by 16 - Related articles - View as HTML - All 25 versions

label matching text database create

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google